



SAN FRANCISCO PUBLIC UTILITIES COMMISSION
Residential High-Efficiency Toilet Rebate Application

The SFPUC is offering up to \$125 rebate per tank style toilet and up to \$200 per flushometer type toilet for the replacement of toilet(s) using 3.5 gallons per flush or more. **As of January 1, 2008, the SFPUC no longer rebates 1.6 gpf toilets.** The list of qualifying high-efficiency toilet models is found at <http://conserve.sfwater.org>.

SFPUC USE ONLY: _____

MAIL TO: SFPUC Water Conservation
 Residential HET Rebate
 1145 Market Street, 4th Fl
 San Francisco, CA 94103

PHONE: (415) 551-4730
EMAIL: waterconservation@sfwater.org
WEBSITE: <http://conserve.sfwater.org>

Account Information

Name on SFPUC Water Account _____ SFPUC 10-digit Account # _____

Property or Installation Address _____

Type of Property in Which Toilet(s) Are Installed (E.G. Single-Family House, Multi-Family Dwelling, Etc.) _____

Total Number of Toilets in Building _____ Number of Rebates Requested _____ Year Building Built _____

Applicant Information

(First Name) _____ (Last Name) _____

Address (as noted on applicant's W-9) _____ City _____ State _____ Zip Code _____

Daytime Phone Number _____ Email _____

*** Applicant's name & address must be identical to name & address listed on W-9 form. Applicants who receive more than \$600 in rebates within a calendar year must report rebates as income on tax returns.**

Application Checklist: Have you?

- Verified installed toilets purchased are found on qualifying HET list Provided Water Service Account #
- Attached **original** receipt, **original** application, and UPC barcode label displaying the make and model number, photocopies will not be accepted.
- Completed the Residential Tracking Sheet portion of this application Signed, Dated & Completed Application and W-9
- Scheduled a pre-purchase inspection for any site where 10 or more toilets are being replaced or have previously received toilet replacement incentives.

Your Signature

I certify I have read, understand and agree to the terms and conditions of this rebate program. The undersigned expressly agrees that the SFPUC may inspect all qualifying toilet installations; that installation of qualifying toilet models may not result in lower water bills; and that the SFPUC does not warrant any toilet or installation to be free of defects, the quality of workmanship, or the suitability of the premises for toilet installation. The undersigned further agrees to defend, indemnify and hold harmless the SFPUC, their directors, officers, and employees, against all loss, damage, expense, claims, suits and liability, including attorneys fees resulting from the loss, destruction or damage to property arising out of or in any way connected with the toilet or installation.

Signature (Must be signed with color ink other than black) _____ Print Name _____ Date _____

Fixture Information (Need more room? Complete SFPUC Residential tracking sheet)

Quantity	Make & Model Removed (if known)	Make & Model Number Installed	Apt. Unit # (if applicable)	Location Of Fixture Installation (i.e. first floor bedroom)

How Did You Find Out About The Rebate Program?

- SFPUC Website
 SFPUC Bill Insert
 Referral from Family /Friend
 Retail Store
 DBI
 Realtor ("Retrofit on Resale" Water Conservation Ordinances for San Francisco Residential and Residential Properties)
 Newspaper/Magazine
 Community Event
 WaterSavingHero.com
 Other _____

Toilet Recycling Program

Recycle your old toilet by dropping it off at **SF Recycling & Disposal**, 501 Tunnel Avenue, San Francisco or call your collection service provider for additional information.
Sunset Scavenger Company: (415) 330-1300 Golden Gate Recycling & Disposal: (415) 626-4000

Program Rules

- The SFPUC is offering up to \$125 rebate per tank style toilet and up to \$200 per flushometer type toilet for the replacement of toilet(s) using 3.5 gallons per flush or more with HET models that are 1.28 gpf or less. **As of January 1, 2008, the SFPUC no longer rebates 1.6 gpf toilets.**
 - New construction, additions or bathroom improvements completed after 1992 are not eligible for a rebate.
 - The approved toilet must be installed at a San Francisco service address and toilet must be installed prior to rebate request. A separate application must be submitted for each metered address.
 - The purchased toilet must be new and on the current list of approved models. Only the exact model numbers listed will qualify for a rebate; please confirm that both the tank/valve model number and the bowl model number appears on this list. List of qualifying models are subject to change. Visit <http://conserve.sfwater.org> for a list of qualifying models.
 - Rebate amount is not to exceed the purchase price (not including sales tax).
 - A pre-purchase inspection is required for any site where 10 or more toilets are being replaced, have previously received toilet replacement incentives or are planning on remodeling entire building. Please call (415) 551-4730 to schedule an appointment.
 - The SFPUC reserves the right to verify the installation of the toilet(s). Failure to allow an inspection of the installed toilet(s) within 30 days of request or to install the toilet(s) will result in refusal of rebate.
 - The payee's Social Security or Tax ID number must be provided in order to receive a rebate. The Social Security or Tax ID number requested in the Rebate application process is in compliance with exemptions to the Federal Privacy Act of 1974, 42 UCS 405 (c) (2)(c). The Internal Revenue Service requires Rebate Program participants receiving \$600 or more in rebates to be issued an IRS Form 1099 unless exemptions apply. Social Security numbers provided as part of the application process are held in confidence under terms of the Privacy Act and are not divulged or otherwise conveyed to individuals or organizations outside the Rebate Program.
 - The SFPUC reserves the right to alter this program at any time. Funding is limited and rebates are available on a first come, first serve basis until funds run out or program terminates.
 - Applications will only be accepted by mail at the address below. Please allow approximately **12 weeks** for processing after all applicant requirements have been met.
 - Rebate application, tracking sheet(s) and W-9 must be completed and returned with the **original receipt(s)**, entire **original UPC barcode label(s)** and copy of water bill postmarked within 60 days of purchase. Receipt(s) and UPC barcode label(s) must include the make & model number of the HET(s) purchased. Please make copies for your records. Original receipts will not be returned. Incomplete or illegible applications will be denied.
- Mail completed forms with original receipts and original UPC barcode labels (photocopies will not be accepted) to:**

SFPUC Water Conservation
Residential HET Rebate
1145 Market Street, 4th Fl
San Francisco, CA 94103

Request for Taxpayer Identification Number and Certification

Give form to the requester. Do not send to the IRS.

Print or type See Specific Instructions on page 2.	Name (as shown on your income tax return)	
	Business name, if different from above	
	Check appropriate box: <input type="checkbox"/> Individual/Sole proprietor <input type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Limited liability company. Enter the tax classification (D=disregarded entity, C=corporation, P=partnership) ▶ <input type="checkbox"/> Exempt payee <input type="checkbox"/> Other (see instructions) ▶	
	Address (number, street, and apt. or suite no.)	Requester's name and address (optional)
	City, state, and ZIP code	
	List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Social security number
or
Employer identification number

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here	Signature of U.S. person ▶	Date ▶
------------------	----------------------------	--------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity,

- The U.S. grantor or other owner of a grantor trust and not the trust, and
- The U.S. trust (other than a grantor trust) and not the beneficiaries of the trust.

Foreign person. If you are a foreign person, do not use Form W-9. Instead, use the appropriate Form W-8 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a “saving clause.” Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes.

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.
2. The treaty article addressing the income.
3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.
4. The type and amount of income that qualifies for the exemption from tax.
5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity not subject to backup withholding, give the requester the appropriate completed Form W-8.

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called “backup withholding.” Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

Payments you receive will be subject to backup withholding if:

1. You do not furnish your TIN to the requester,
2. You do not certify your TIN when required (see the Part II instructions on page 3 for details),
3. The IRS tells the requester that you furnished an incorrect TIN,

4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or

5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See the instructions below and the separate Instructions for the Requester of Form W-9.

Also see *Special rules for partnerships* on page 1.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Name

If you are an individual, you must generally enter the name shown on your income tax return. However, if you have changed your last name, for instance, due to marriage without informing the Social Security Administration of the name change, enter your first name, the last name shown on your social security card, and your new last name.

If the account is in joint names, list first, and then circle, the name of the person or entity whose number you entered in Part I of the form.

Sole proprietor. Enter your individual name as shown on your income tax return on the “Name” line. You may enter your business, trade, or “doing business as (DBA)” name on the “Business name” line.

Limited liability company (LLC). Check the “Limited liability company” box only and enter the appropriate code for the tax classification (“D” for disregarded entity, “C” for corporation, “P” for partnership) in the space provided.

For a single-member LLC (including a foreign LLC with a domestic owner) that is disregarded as an entity separate from its owner under Regulations section 301.7701-3, enter the owner’s name on the “Name” line. Enter the LLC’s name on the “Business name” line.

For an LLC classified as a partnership or a corporation, enter the LLC’s name on the “Name” line and any business, trade, or DBA name on the “Business name” line.

Other entities. Enter your business name as shown on required federal tax documents on the “Name” line. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on the “Business name” line.

Note. You are requested to check the appropriate box for your status (individual/sole proprietor, corporation, etc.).

Exempt Payee

If you are exempt from backup withholding, enter your name as described above and check the appropriate box for your status, then check the “Exempt payee” box in the line following the business name, sign and date the form.

Generally, individuals (including sole proprietors) are not exempt from backup withholding. Corporations are exempt from backup withholding for certain payments, such as interest and dividends.

Note. If you are exempt from backup withholding, you should still complete this form to avoid possible erroneous backup withholding.

The following payees are exempt from backup withholding:

1. An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2),
2. The United States or any of its agencies or instrumentalities,
3. A state, the District of Columbia, a possession of the United States, or any of their political subdivisions or instrumentalities,
4. A foreign government or any of its political subdivisions, agencies, or instrumentalities, or
5. An international organization or any of its agencies or instrumentalities.

Other payees that may be exempt from backup withholding include:

6. A corporation,
7. A foreign central bank of issue,
8. A dealer in securities or commodities required to register in the United States, the District of Columbia, or a possession of the United States,
9. A futures commission merchant registered with the Commodity Futures Trading Commission,
10. A real estate investment trust,
11. An entity registered at all times during the tax year under the Investment Company Act of 1940,
12. A common trust fund operated by a bank under section 584(a),
13. A financial institution,
14. A middleman known in the investment community as a nominee or custodian, or
15. A trust exempt from tax under section 664 or described in section 4947.

The chart below shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 15.

IF the payment is for . . .	THEN the payment is exempt for . . .
Interest and dividend payments	All exempt payees except for 9
Broker transactions	Exempt payees 1 through 13. Also, a person registered under the Investment Advisers Act of 1940 who regularly acts as a broker
Barter exchange transactions and patronage dividends	Exempt payees 1 through 5
Payments over \$600 required to be reported and direct sales over \$5,000 ¹	Generally, exempt payees 1 through 7

¹ See Form 1099-MISC, Miscellaneous Income, and its instructions.

² However, the following payments made to a corporation (including gross proceeds paid to an attorney under section 6045(f), even if the attorney is a corporation) and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, and payments for services paid by a federal executive agency.

Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see *How to get a TIN* below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited liability company (LLC)* on page 2), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local Social Security Administration office or get this form online at www.ssa.gov. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at www.irs.gov/businesses and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting www.irs.gov or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note. Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded domestic entity that has a foreign owner must use the appropriate Form W-8.

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, and 5 below indicate otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). Exempt payees, see *Exempt Payee* on page 2.

Signature requirements. Complete the certification as indicated in 1 through 5 below.

1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.

2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.

3. Real estate transactions. You must sign the certification. You may cross out item 2 of the certification.

4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).

5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

Secure Your Tax Records from Identity Theft

Identity theft occurs when someone uses your personal information such as your name, social security number (SSN), or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- Protect your SSN,
- Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

Call the IRS at 1-800-829-1040 if you think your identity has been used inappropriately for tax purposes.

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to phishing@irs.gov. You may also report misuse of the IRS name, logo, or other IRS personal property to the Treasury Inspector General for Tax Administration at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: spam@uce.gov or contact them at www.consumer.gov/idtheft or 1-877-IDTHEFT(438-4338).

Visit the IRS website at www.irs.gov to learn more about identity theft and how to reduce your risk.

What Name and Number To Give the Requester

For this type of account:	Give name and SSN of:
1. Individual	The individual
2. Two or more individuals (joint account)	The actual owner of the account or, if combined funds, the first individual on the account ¹
3. Custodian account of a minor (Uniform Gift to Minors Act)	The minor ²
4. a. The usual revocable savings trust (grantor is also trustee)	The grantor-trustee ¹
b. So-called trust account that is not a legal or valid trust under state law	The actual owner ¹
5. Sole proprietorship or disregarded entity owned by an individual	The owner ³
For this type of account:	Give name and EIN of:
6. Disregarded entity not owned by an individual	The owner
7. A valid trust, estate, or pension trust	Legal entity ⁴
8. Corporate or LLC electing corporate status on Form 8832	The corporation
9. Association, club, religious, charitable, educational, or other tax-exempt organization	The organization
10. Partnership or multi-member LLC	The partnership
11. A broker or registered nominee	The broker or nominee
12. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments	The public entity

¹ List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

² Circle the minor's name and furnish the minor's SSN.

³ You must show your individual name and you may also enter your business or "DBA" name on the second name line. You may use either your SSN or EIN (if you have one), but the IRS encourages you to use your SSN.

⁴ List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see *Special rules for partnerships* on page 1.

Note. If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons who must file information returns with the IRS to report interest, dividends, and certain other income paid to you, mortgage interest you paid, the acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA, or Archer MSA or HSA. The IRS uses the numbers for identification purposes and to help verify the accuracy of your tax return. The IRS may also provide this information to the Department of Justice for civil and criminal litigation, and to cities, states, the District of Columbia, and U.S. possessions to carry out their tax laws. We may also disclose this information to other countries under a tax treaty, to federal and state agencies to enforce federal nontax criminal laws, or to federal law enforcement and intelligence agencies to combat terrorism.

You must provide your TIN whether or not you are required to file a tax return. Payers must generally withhold 28% of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to a payer. Certain penalties may also apply.

LIST OF QUALIFYING FLUSHOMETER HIGH-EFFICIENCY TOILETS (HETs)

IMPORTANT: Prior to purchasing, please confirm that both the valve model number and the bowl model number of your selected HET appear on this list. Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.

Rebates for HETs listed are valid for purchases made between

February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.



Flushometer Valve HETs

Up to \$200

4.8-L (1.28-gal) Flushometer

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
American Standard	Afwall FloWise EL	3351.128 (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	800	E	*	R	W
American Standard	Afwall FloWise EL	3351.128 (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	800	E	*	R	W
American Standard	Afwall FloWise EL	3352.128 (top spud; w/bedpan lugs) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	800	E	*	R	W
American Standard	Afwall FloWise EL	3352.128 (top spud; w/bedpan lugs) bowl, Sloan Crown 111-1.2 (piston type) valve	800	E	*	R	W
American Standard	Madera Flowise EL (10-inch rough-in)	3451.128 (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E			F
American Standard	Madera Flowise EL (10-inch rough-in)	3451.128 (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E			F
American Standard	Madera Flowise EL (10-inch rough-in)	3452.128 (top spud; w/bedpan lugs) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E			F
American Standard	Madera Flowise EL (10-inch rough-in)	3452.128 (top spud; w/bedpan lugs) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E			F
American Standard	Madera Flowise EL ADA (10-inch rough-in)	3461.128 (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E	*		F
American Standard	Madera Flowise EL ADA (10-inch rough-in)	3461.128 (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E	*		F
American Standard	Madera Flowise EL ADA (10-inch rough-in)	3462.128 (top spud; w/bedpan lugs) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E	*		F
American Standard	Madera Flowise EL ADA (10-inch rough-in)	3462.128 (top spud; w/bedpan lugs) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E	*		F
American Standard	Priolo EL ADA	3695.128 (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E	*	R	F
American Standard	Priolo EL ADA	3695.128 (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E	*	R	F
American Standard	Priolo EL ADA	3696.128 (top spud; w/bedpan lugs) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E	*	R	F
American Standard	Priolo EL ADA	3696.128 (top spud; w/bedpan lugs) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E	*	R	F
Conrac	Clark Commercial EL ADA	4762CEX bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	800	E	*	R	W
Conrac	Clay Commercial EL ADA	4762BOX bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	800	E	*		F
Conrac	Colter Commercial EL	4762BEX bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	850	E			F
Kohler	Highline EL ADA	K-4405 and K-4405L bowls, Kohler K-10956 (piston type) valve	1,000	E	*		F
Kohler	Kingston EL	K-4323 bowl, Kohler K-10956 (piston type) valve	1,000	E	*	R	W
Kohler	Kingston EL	K-4325 bowl, Kohler K-10956 (piston type) valve	1,000	E	*	R	W
Kohler	Wellworth EL	K-4406 bowl, Kohler K-10956 (piston type) valve	1,000	E			F
Mansfield	Erie EL (wall mount-ADA possible)	1301 bowl, ZTS6200EV (piston type) valve	1,000	E	*	R	W
Mansfield	Erie EL (wall mount-ADA possible)	1301BPL (with bedpan lugs) bowl, ZTS6200EV (piston type) valve	1,000	E	*	R	W
Sloan Valve	None EL	ST2000 (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E			F
Sloan Valve	None EL	ST2000 (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E			F
Sloan Valve	None EL ADA	ST2020A (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E			F
Sloan Valve	None EL ADA	ST2020A (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E			F
Sloan Valve	None EL	ST2050A (top spud) bowl, Sloan Crown 111-1.2 (piston type) valve	1,000	E		R	W
Sloan Valve	None EL	ST2050A (top spud) bowl, Sloan Crown Optima SMOOTH 111-1.2 (piston type) valve	1,000	E		R	W
Toto	None EL ADA	CT708EV (rear spud) bowl, Toto TET 1LN-32 (piston type) valve	1,000	E	*	R	W
Toto	None EL	CT705E (top spud) bowl, Toto TET 1LN-32 (piston type) valve	1,000	E			F
Toto	None EL ADA	CT705EL (top spud) bowl, Toto TET 1LN-32 (piston type) valve	1,000	E	*		F
Toto	None EL ADA	CT708E (top spud) bowl, Toto TET 1LN-32 (piston type) valve	1,000	E	*	R	W
Zurn	None EL	Z5655-BWL HET bowl, ZTS6200EV (piston type) valve	1,000	E			F
Zurn	None EL ADA	Z5665-BWL HET bowl, ZTS6200EV (piston type) valve	1,000	E	*		F

IMPORTANT: Prior to purchasing, please confirm that both the valve model number and the bowl model number of your selected HET appear on this list. Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.

Rebates for HETs listed are valid for purchases made between

February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.



Flushometer Valve HETs

Up to \$200

4.8-L (1.28-gal) Flushometer

MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)

Round Front (R) or Elongated (E) bowl

ADA-Comfort Height-Right Height Bowl

Rear Discharge

Floor-Mounted (F) OR Wall-Mounted (W)

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
Zurn	None EL (wall mount - ADA possible)	Z5615-BWL HET bowl, ZTS6200EV (piston type) valve	800	F	*	R	W

LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.



Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
American Standard	Boulevard EL ADA (one-piece)	2891.128 (one-piece)	1,000	1	3	E	*							F
American Standard	Cadet 3 Flowise RF ADA (10" rough-in)	2849.128: 3005.128 bowl, 4019.128 tank	1,000	2	3	R	*							F
American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	2	3	E								F
American Standard	Cadet 3 FloWise EL (10" rough-in)	2833.128: 3014.128 bowl, 4019.128 tank	1,000	2	3	E								F
American Standard	Cadet 3 FloWise EL (10" rough-in)	3379.128: 3014.128 bowl, 4019.128 tank	1,000	2	3	E								F
American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	2	3	E								F
American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	2	3	E	*							F
American Standard	Cadet 3 FloWise EL ADA	2836.128: 3016.128 bowl, 4019.128 tank	1,000	2	3	E	*							F
American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	2	3	E	*							F
American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	1	3	E	*							F
American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	2	3	R								F
American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	2	3	R								F
American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	2	3	R	*	*						F
American Standard	Cadet 3 FloWise RF ADA	3377.128: 3005.128 bowl, 4021.128 tank	1,000	2	3	R	*	*						F
American Standard	Cadet 3 FloWise RF ADA (lined tank)	2758.513: 3005.128 bowl, 4021.513 tank (lined)	1,000	2	3	R	*	*						F
American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	1	3	E	*							F
American Standard	EcoFusion EL ADA	3380.216: 3710.216 bowl, 4349.216 tank	1,000	2	2	E	*	*		HET				F
American Standard	Evolution 2 FloWise EL	2753.128: 3063.128 bowl (UPC bar code 3305682549), 4061.128 tank (UPC bar code 3305682543)	1,000	2	2	E								F
American Standard	Evolution 2 FloWise EL (lined tank)	2753.513: 3063.128 bowl (UPC bar code 3305682549), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	2	2	E								F
American Standard	Evolution 2 FloWise EL ADA	2754.128: 3068.128 bowl (UPC bar code 3305682540), 4061.128 tank (lined) (UPC bar code 3305682543)	1,000	2	2	E	*							F
American Standard	Evolution 2 FloWise EL ADA (lined tank)	2754.513: 3068.128 bowl (UPC bar code 3305682540), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	2	2	E	*							F
American Standard	Evolution 2 FloWise RF (lined tank)	2752.513: 3061.128 bowl (UPC bar code 3305682552), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	2	2	R								F
American Standard	Evolution2 FloWise RF	2752.128: 3061.428 bowl, 4061.428 tank	800	2	2	R								F
American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	2	2	E		*		HET				F

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	2	2	E		*		HET			F	
American Standard	FloWise Dual Flush EL ADA	SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.	600	2		E	*	*		HET			F	
American Standard	FloWise Dual Flush EL ADA (insulated tank)	SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined)	500	2	2	E	*	*		HET			F	
American Standard	FloWise Dual Flush RF	2489.216: 3074.216 bowl, 4035.216 tank	600	2	-	R		*		HET			F	
American Standard	FloWise Dual Flush RF (lined tank)	2489.516: 3074.216 bowl, 4035.516 tank (lined)	600	2	-	R		*		HET			F	
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	2	3	E						HET	F	
American Standard	FloWise EL ADA COMPLETE	3378.128: 3016.128 bowl, 4021.128 tank	1,000	2	3	E	*					HET	F	
American Standard	Flowise RF	2880.128: 3011.128 bowl, 4021.128 tank	1,000	2	3	R						HET	F	
American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	2	2	E		*		HET			F	
American Standard	H2Option Siphonic Dual Flush EL (lined tank)	2887.516: 3706.216 bowl, 4339.516 tank (lined)	1,000	2	-	E		*		HET			F	
American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	2	2	E	*	*		HET			F	
American Standard	H2Option Siphonic Dual Flush EL ADA (lined tank)	2886.516: 3705.216 bowl, 4339.516 tank (lined)	1,000	2	-	E	*	*		HET			F	
American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	2	2	R		*		HET			F	
American Standard	H2Option Siphonic Dual Flush RF (lined tank)	2889.516: 3708.216 bowl, 4339.516 tank (lined)	1,000	2	-	R		*		HET			F	
American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package , which includes bowl, tank, seat, & installation mat'ls as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	2	2	R						HET	F	
American Standard	Town Square EL ADA (one-piece)	2817.128: 3071.128 bowl (UPC bar code 3305682080), 4216.128 tank (UPC bar code 3305682085)	1,000	2	3	E	*					HET	F	
American Standard	Town Square EL ADA (one-piece)	2847.128 (one-piece)	1,000	1	3	E	*					HET	F	
American Standard	Tropic EL ADA (one-piece)	2786.128 (one-piece)	1,000	1	3	E	*					HET	F	
Briggs	Maelstrom HET RF	4680: 4110 bowl (UPC 671021376216), 4494 tank (UPC 671021377749)	750	2	3	R						HET	F	
Briggs	Maelstrom HET EL	4685: 4115 bowl (UPC 671021377770), 4494 tank (UPC 671021377749)	750	2	3	E						HET	F	
Briggs	Maelstrom HET EL ADA	4688: 4118 bowl (UPC 671021377800), 4494 tank (UPC 671021377749)	900	2	3	E	*					HET	F	
Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	2	-	R		*		HET			F	
Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	2	-	R	*	*		HET			F	
Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	2	-	R	*	*		HET			F	
Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	2	-	R		*		HET			F	
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	2	-	R		*		HET			F	
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	2	-	E		*		HET			F	
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	2	-	E	*	*		HET			F	

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



Rebates for HETs listed are valid for purchases made between

February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	2	-	R	*	*		HET			F	
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	2	-	E		*		HET			F	
Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	2	-	R		*		HET			F	
Caroma	Caravelle One-Piece RF ADA	989668	800	1	-	R	*	*		HET			F	
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	2	-	E		*		HET			F	
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	2	-	E	*	*		HET			F	
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	2	-	E		*		HET			F	
Caroma	Caravelle One-Piece RF	989646	700	1	-	R		*		HET			F	
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	2	-	R		*		HET			F	
Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	2	-	R	*	*		HET			F	
Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	2	-	R		1.2g 4.5L		HET			F	
Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500	2	-	E		*		HET			F	
Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	2	-	R		*		HET			F	
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	2	-	E		*		HET			F	
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	2	-	E	*	*		HET			F	
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	2	-	R		*		HET			F	
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	2	-	R	*	*		HET			F	
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	2	-	E		*		HET			F	
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	2	-	E	*	*		HET			F	
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	2	-	R		*		HET			F	
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	2	-	R	*	*		HET			F	
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	2	-	E		*		HET			F	
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	2	-	R		*		HET			F	
Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	2	-	E	*	*		HET			F	
Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	2	-	E		*		HET			F	
Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	2	-	R	*	*		HET			F	
Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	2	-	R		*		HET			F	
Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	2	-	E		*		HET			F	
Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	2	-	R		*		HET			F	
Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	850	2	-	E		1.2g 4.5L		HET			F	
Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	850	2	-	R		1.2g 4.5L		HET			F	
Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	850	2	-	E	*	1.2g 4.5L		HET			F	
Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	850	2	-	R	*	1.2g 4.5L		HET			F	

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	2	-	E		1.2g 4.5L		HET				F
Caroma	Sydney Smart RF Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	2	-	R		1.2g 4.5L		HET		R		F
Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	2	-	R		1.2g 4.5L		HET				F
Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500	2	-	E	*	*		HET		R		W
Cascadian	Toscano EL ADA	C930 bowl, T901 tank	1,000	2	3	E	*							F
Cascadian	None RF ADA	C920 bowl, T901 tank	1,000	2	3	R	*							F
Cerapure Industries	None RF ADA (one-piece)	102B	600	1		R	*							F
Chelini	Marriot RF (lined tank)	B1215R bowl, TDF1246 tank (lined)	600	2	2.5	R		*		HET				F
Chelini	Marriot EL ADA (lined tank)	B1216E bowl, TDF1246 tank (lined tank)	800	2	2	E	*	*		HET				F
Chelini	Bournelli RF (lined tank)	B1415R bowl, T14248 tank (lined tank)	500	2	2	R								F
Chelini	Cabot EL ADA (lined tank)	B1516E bowl, T10348 tank (lined tank)	1,000	2	3	E	*							F
Chelini	Cabot RF ADA (lined tank)	B1516R bowl, T10348 tank (lined tank)	800	2	3	R	*							F
Chelini - Cobban	Victoriana EL	B315E3 bowl, T3348 tank	600	2	3	E								F
Chelini - Cobban	Victoriana RF	B315R3 bowl, T3348 tank	500	2	3	R								F
Commericalizadora Ceramica	Fiero K Green RF	50353 bowl, 5102 tank	1,000	2	3	R								F
Commericalizadora Ceramica	Aquamaster EL ADA	50320 bowl, 5129 tank	500	2	3	E	*							F
Commericalizadora Ceramica	Fiero K Green AL EL	50352 bowl, 5102 tank	1,000	2	3	E								F
Commericalizadora Ceramica	Royalty Green EL ADA	50349 bowl, 51049 tank	500	2	3	E	*							F
Contrac	None RF	4710BFZ (one piece with insulated tank)	500	1	2.5	R		*		HET				F
Contrac	None RF	4710BFZU (one piece)	600	1	2.5	R		*		HET				F
Contrac	Captiva EL ADA	4710BIV	800	1	3	E	*							F
Contrac	None RF	4720BFZ combination (lined tank)	600	2	2	R		*		HET				F
Contrac	None RF	4720BFZU combination	550	2	2	R		*		HET				F
Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	2	3	E	*							F
Contrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	1	2	E		*		HET				F
Contrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	1	2	S		*		HET				F
Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	2	3	E								F
Contrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	2	2	E		*		HET				F
Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	2	3	R								F
Contrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	2	2	R		*		HET				F
Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	2	2	E	*	*		HET				F
Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	2	3	E	*							F
Contrac	None EL ADA	5720BOY: B5720BOY bowl, T5720BOY tank	800	2	-	E	*				HET			F
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	2	-	E		*		HET				F
Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800	2	2	E	*	*		HET				F

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800	2	2	E	*	*		HET			F	
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	2	-	R		*		HET			F	
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	2	-	R		*		HET			F	
Crane	Eco Opus III EL	2383328: 3014.328 bowl, 4021.328 tank	1,000	2	3	E					HET		F	
Crane	Eco Opus III EL (lined tank)	2383358: 3014.328 bowl, 4021.358 tank(lined)	1,000	2	3	E					HET		F	
Crane	Eco Opus III EL ADA	2386328: 3016.328 bowl, 4021.328 tank;	1,000	2	3	E	*				HET		F	
Crane	Eco Opus III EL ADA (lined tank)	2386358: 3016.328 bowl, 4021.358 tank (lined)	1,000	2	3	E	*				HET		F	
Crane	Eco Opus III RF	2384328: 3011.328 bowl, 4021.328 tank	800	2	3	R					HET		F	
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	2	3	R					HET		F	
Crane	Eco Opus III RF (lined tank)	2384358: 3011.328 bowl, 4021.358 tank(lined)	1,000	2	3	R					HET		F	
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	2	-	E		*		HET			F	
Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600	2	2	E	*	*		HET			F	
Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600	2	2	E	*	*		HET			F	
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	2	-	R		*		HET			F	
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	2	-	E		*		HET			F	
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	2	-	E	*	*		HET			F	
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	2	-	E					HET		F	
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	2	-	E					HET		F	
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	2	-	E	*				HET		F	
Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	2	-	R		*		HET			F	
Crane	Economiser EL	3837: 3827 bowl, 3612NS tank	600	2	-	E					HET	R	F	
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	2	-	E					HET		F	
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	2	-	E	*				HET		F	
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	2	-	R					HET		F	
Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000	2	-	E					HET		F	
Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	2	-	E	*				HET		F	
Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	2	-	R					HET		F	
Crane	Economiser RF	3836: 3826 bowl, 3612NS tank	600	2	-	R					HET	R	F	
Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	2	3	E	*				HET		F	
Danze	Orrington EL ADA (12" rough-in)	DC013330 bowl, DC012323 tank	800	2	3	E	*				HET		F	
Danze	Orrington EL ADA (12" rough-in - one-piece)	DC011323 (one-piece)	800	1	3	E	*				HET		F	
Danze	Ziga Zaga EL ADA (12" rough-in - one-piece)	DC031321 (one-piece)	800	1	3	E	*				HET		F	
DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000	2	3	E	*				HET		F	
Dolphin Plumbing Industrial	None EL (one-piece)	L1315E346 (one-piece)	600	1	3	E		*		HET				
Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S17248 tank	600	2	3	E					HET			
Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S18246 tank	600	2	2	E	*			HET				
Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S17248 tank	600	2	2	R					HET			
Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S18246 tank	500	2	2	R		*		HET				
Dolphin Plumbing Industrial	None EL ADA	Z22E16 bowl, S18246 tank	600	2	2	E	*	*		HET				
Dolphin Plumbing Industrial	None RF ADA	Z58R16 bowl, S19348 tank (lined tank)	1,000	2	3	R	*	*			HET			
Duravit	Happy D RF	017009 bowl, 091000-05 tank	600	2	2	R	*	*		HET		R	W	
Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600	2	2	R	*	*		HET		R	W	
Duravit	D-Code	220909 bowl, used with in-wall tank	500	2	-	S	*	*		HET		R	W	

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
ECO-FITT (by Niagara)	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank	1,000	2	2.5	E	*				HET			F
ECO-FITT (by Niagara)	Elongated HET ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank	1,000	2	3	E	*							F
ECO-FITT (by Niagara)	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	2	-	E						HET		F
Eljer	Belmont RF COMPLETE	091-0800: 3061.428 bowl, 4061.428 tank	800	2	2	R							HET	F
Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	2	-	E						HET		F
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	2	-	E	*					HET		F
Eljer	Somerville Dual Flush RF (siphonic)	091-6100: 3708.416 bowl, 4339.416 tank	1,000	2	2	R		*			HET			F
Eljer	Stratus EL ADA	091-1285: 3016.428 bowl, 4007.428 tank (UPC bar code 3305682509 sold as a COMPLETE unit)	1,000	2	3	E	*						HET	F
Eljer	Stratus RF	091-1280: 3011.428 bowl, 4007.428 tank (UPC bar code 3305682508 sold as a COMPLETE unit)	1,000	2	3	R							HET	F
Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	2	3	R	*						HET	
Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank	750	2	3	E	*						HET	F
Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	2	-	E	*		*		HET			F
Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	2	-	R	*		*		HET			F
Foremost	None EL ADA	AO1-054777E: LL777E bowl, T1-054 tank	800	2	3	E	*						HET	F
Foremost	None RF ADA	AO1-054777R: LL-777R bowl, T1-054 tank	800	2	3	R	*						HET	F
Foremost	None RF	AO1-203824R: LL-824R bowl, T1-203 tank	800	2	3	R							HET	F
Foremost	None EL ADA	AO1-803807-E: LL-807-E bowl, T1-803 tank	650	2	3	E	*						HET	F
Foremost	None RF ADA	AO1-803807-R: LL-807-R bowl, T1-803 tank	650	2	3	R	*						HET	F
Foremost	None EL ADA	AO2-058777E: LL-777E bowl, T2-058 tank	800	2	3	E	*	*			HET			F
Foremost	None RF ADA	AO2-058777R: LL-777R bowl, T2-058 tank	800	2	3	R	*	*			HET			F
Foremost	None EL ADA	AO2-158777E: LL-777E bowl, T2-158 tank	850	2	2	E	*	*			HET			F
Foremost	None RF ADA	AO2-158777R: LL-777R bowl, T2-158 tank	900	2	2	R	*	*			HET			F
Foremost	None RF	AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank	850	2	3	R							HET	F
Foremost	None EL ADA	AO4-035177E: LL-177E bowl, T4-035 tank	800	2	-	E	*					HET		F
Foremost	None EL ADA	AO4-045167E: LL-167E bowl, T4-045 tank	800	2	-	E	*					HET		F
Foremost	None EL ADA	AO4-045177E: LL-177E bowl, T4-045 tank	800	2	-	E	*					HET		F
Foremost	None EL ADA	AO4-215177E: LL-177E bowl, T4-215 tank	800	2	-	E	*					HET		F
Foremost	None EL ADA	AO4-425177E: LL-177E bowl, T4-425 tank	800	2	-	E	*					HET		F
Foremost	None EL ADA	AO4-825177E: LL-177E bowl, T4-825 tank	800	2	-	E	*					HET		F
Foremost	Captiva EL ADA	C4710BIV	800	1	3	E	*						HET	F
Foremost	Carter EL ADA	C4720BIV: bowl and tank nos. not provided	550	2	3	E	*						HET	F
Foremost	Clint EL (1 piece - lined tank)	C5710BEZ (one-piece - lined tank)	1,000	1	2	E		*			HET			F
Foremost	Clara (1 piece - lined tank)	C5710BLT (one-piece - lined tank)	1,000	1	2	S		*			HET			F
Foremost	Colin EL (lined tank)	C5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	2	2	E		*			HET			F
Foremost	Calum RF (lined tank)	C5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	2	3	R							HET	F
Foremost	None RF (lined tank)	C5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	2	2	R		*			HET			F
Foremost	Colten EL ADA (lined tank)	C5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	2	2	E	*	*			HET			F
Foremost	None EL ADA (lined tank)	C5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	2	3	E	*						HET	F
Foremost	None EL ADA	C5720BOY: B5720BOY bowl, T5720BOY tank	800	2	-	E	*					HET		F
Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	1	3	E	*	*			HET			F

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600	1	3	E	*					HET	F	
Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	650	1	3	E	*					HET	F	
Foremost	None EL ADA (one-piece - lined tank)	TL-10PB-HET-E (one-piece- lined tank)	650	1	3	E	*					HET	F	
Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	1	3	E	*					HET	F	
Foremost	None RF (lined tank)	TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank)	700	2	3	R						HET	F	
Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	750	2	3	E	*					HET	F	
Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-*L tank (lined)	800	2	2	R		*			HET	F		
Foremost	Genie EL (lined tank)	TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined)	750	2	2	E					HET	F		
Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	2	3	E	*					HET	F	
Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	550	2	3	E	*					HET	F	
Foremost	Gemini Dual-Flush ADA (one-piece)	TL-2100-*L (one-piece)	1,000	1	2	S	*	*			HET	F		
Foremost	None RF (lined tank)	TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined)	600	2	3	R						HET	F	
Foremost	None EL ADA (lined tank)	TL-5207HC-*L2: LL-5207HC-*2 bowl,T-5207-*L2 (lined tank)	700	2	3	E	*					HET	F	
Foremost	Regent RF (one-piece - lined tank)	TL-5210-*L (one piece - lined tank)	750	1	2	R					HET	F		
Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	1	3	E						HET	F	
Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	2	2.5	S		*			HET	F		
Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	2	3	E	*					HET	F	
Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	2	3	E	*					HET	F	
Foremost	HET EL ADA	TL-7600HC-HET-*L ; LL-7600HC-* bowl , T-7600-HET-*L tank (Lined) (R&T tank trims) UPC 721015415800	1000	2	3	E	*					HET	F	
Foremost	HET EL ADA (lined tank)	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	2	3	E	*					HET	F	
Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	2	3	R	*					HET	F	
Foremost	HET RF ADA (lined tank)	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	2	3	R	*					HET	F	
Foremost	HET RF ADA (lined tank)	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550	2	3	R	*					HET	F	
Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600	2	3	R	*					HET	F	
Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank	800	2	3	E	*					HET	F	
Foremost	None RF (lined tank)	TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined)	800	2	3	R						HET	F	

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



Rebates for HETs listed are valid for purchases made between

February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Foremost	Odessa RF (one-piece - lined tank)	TL-8260-*L (one-piece with lined tank)	800	1	2	S		*		HET			F	
Foremost	Moline EL	TL-8267-*L: LL-8267 bowl, T-8267 tank (lined)	700	2	2.5	S		*		HET			F	
Foremost	Europa EL (one-piece with lined tank)	TL-8271E-*L (one-piece - lined tank)	800	1	2	E				HET			F	
Foremost	Total Advantage EL (one-piece - lined tank)	TT-2000E-*L (one-piece - lined tank)	1,000	1	2	E				HET			F	
Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	2	2.5	R		*		HET			F	
Foremost	Total Smart HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	2	3	E	*				HET		F	
Gerber	Avalanche 1.28 EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	2	3	E	*				HET		F	
Gerber	Avalanche 1.28 EL ADA (10-inch rough-in)	HE-21-817: HE-21-828 bowl, HE-28-895 tank	800	2	3	E	*				HET		F	
Gerber	Avalanche 1.28 RF (10-inch rough-in)	HE-21-800: HE-21-852 bowl, HE-28-895 tank	800	2	3	R					HET		F	
Gerber	Avalanche 1.28 RF (12-inch rough-in - lined tank)	HE-21-802: HE-21-852 bowl, HE-28-892 tank (lined)	800	2	3	R					HET		F	
Gerber	Avalanche 1.28 RF (12-inch rough-in)	HE-21-802: HE-21-852 bowl, HE-28-890 tank	800	2	3	R					HET		F	
Gerber	Maxwell Dual-Flush EL (12" r.i.-insulated tank)	DF-21-112: 21-162 bowl, DF-28-192 tank (insulated)	600	2	2	E		*		HET			F	
Gerber	Maxwell Dual-Flush EL (12" rough-in)	DF-21-112: 21-162 bowl, DF-28-190 tank	500	2	2	E		*		HET			F	
Gerber	Maxwell Dual-Flush EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	2	2	E	*	*		HET			F	
Gerber	Maxwell Dual-Flush EL ADA (12' rough-in - insulated tank)	DF-21-118: 21-128 bowl, DF-28-192 tank (insulated)	600	2	2	E	*	*		HET			F	
Gerber	Maxwell Dual-Flush RF (12" rough-in - insulated tank)	DF-21-102: 21-152 bowl, DF-28-192 tank (insulated)	600	2	2	R		*		HET			F	
Gerber	Maxwell Dual-Flush RF (12" rough-in)	DF-21-102: 21-152 bowl, DF-28-190 tank	600	2	2	R		*		HET			F	
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	2	-	E		*		HET		R	F	
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	2	-	E		*		HET			F	
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	2	-	E		*		HET			F	
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	2	-	E	*	*		HET			F	
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	2	-	E	*	*		HET			F	
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	2	-	E	*	*		HET		R	F	
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-380 tank	1,000	2	-	E	*	*		HET			F	
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	2	-	R		*		HET			F	
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	2	-	R		*		HET			F	
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	2	-	E					HET	R	F	
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	2	-	E	*	*			HET	R	F	
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-380 tank	600	2	-	E	*				HET		F	
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	2	-	R					HET		F	
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	2	-	R					HET		F	

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Hennessy & Hinchcliffe	Proficiency - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	500	2	2	E	*	0.8g 3L			HET		F	
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	UPC Bar Code 732291222822	1,000	2	-	E	*				HET		F	
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	UPC Bar Code 732291222518	800	2	-	E	*				HET		F	
Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	UPC Bar Code 732291231619	1,000	2	2.5	E	*	*		HET			F	
Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	UPC Bar Code 732291222549	1,000	2	-	R	*				HET		F	
Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	UPC Bar Code 732291222518	1,000	2	3	E	*				HET		F	
Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF ADA	UPC Bar Code 721015414346	900	2		R					HET		F	
Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	UPC Bar Code 721015350491	800	2	3	E	*				HET		F	
Home Depot (by Niagara)	Power One EL	UPC Bar Code 732291231015	1,000	2	-	E					HET		F	
Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	UPC Bar Code 732291344685	1,000	2	3	E	*				HET		F	
INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-620S-MC-US:	600	2	2	E	*	1.28 g 4.8L		HET			F	
INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-622S-MC-US	600	2	2	E	*	1.28 g 4.8L		HET			F	
INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-621S-MC-US	600	2	2	E	*	1.28 g 4.8L		HET			F	
INAX	None EL ADA	C-610S-MC-US	600	2	2	E	*				HET		F	
Jacuzzi	Prescott HET EL ADA	GV80	1,000	2	3	E	*				HET		F	
Jacuzzi	Espree HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	2	3	E	*				HET		F	
Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	2	3	E	*				HET		F	
Kohler	Archer Class 5 EL (one-piece)	K-3639 (one-piece) UPC bar code 650531897381	800	1	3	E					HET		F	
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	2	-	E					HET	R	F	
Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11823 when included as part of the "COMPLETE SOLUTION" package	1,000	2	3	E	*				HET		F	
Kohler	Devonshire EL ADA	K-3678: 4288 bowl, 4446 tank	1,000	2	3	E	*				HET		F	
Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	2		E		*		HET			F	
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	2	-	E	*				HET		F	

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.



Rebates for HETs listed are valid for purchases made between February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Kohler	Kelston EL ADA	K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 AND K-11844 when included as part of the "COMPLETE SOLUTION" package	1,000	2		E	*							F
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	2	2.5	E		*			HET			F
Kohler	Saile EL	K-3564 (one piece)	500	1		E		*			HET			F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	1	-	E	*		*-at 1.4g		HET			F
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	1	-	E	*				HET			F
Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	2	2	R		*			HET			F
Kohler	Sterling Stinson EL	402076: 403070 bowl (UPC bar code 650531843333), 402091 tank (UPC bar code 650531843302) (NOTE: also sold as 404702 when included as part of a complete package)	1,000	2	2	E								F
Kohler	Strela EL ADA	K-3598: 4379 bowl, 4742 tank	500	2		E	*				HET			F
Kohler	Wellworth RF	K-3577: 4179 bowl, 4436 tank	800	2	3	R								F
Kohler	Wellworth EL	K-3575: 4198 bowl, 4436 tank	800	2	3	E								F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	2	-	E					HET			F
Lefroy Brooks	None EL ADA	C531222(LW6000)/ C600152(LW6001)	800	2	3	E	*							F
Lowe's (by Foremost)	Aquasource RF	0104502	850	2	3	R								F
Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	750	2	3	E	*							F
Ceralux/Mancesa/Colceramica	Forzazul RF	3002 bowl, 4463 tank	700	2	2	R								F
Colceramica	Forzazul RF	3002 bowl, 4463 tank (lined tank)	600	2	2	R								F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	2	-	E			*		HET			F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	2	-	E			*		HET		R	F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	2	-	E	*		*		HET			F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	2	-	R			*		HET			F
Mansfield	Maverick	111 bowl, 112 tank	700	2	3									F
Mansfield	Maverick	114 bowl, 112 tank	1,000	2	3	E	*							F
Mansfield	None RF	113 bowl, 112 tank	700	2	3	R								F
Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	2	-	E	*		*		HET		R	W
Mansfield	Quantum EL	144 bowl, 153 tank	900	2	-	E	*					HET	R	W
Mansfield	Prestigio 4 EL	704 (one-piece)	950	1	-	E								F
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	2	-	E								F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	2	-	E								F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	2	-	E	*							F
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	2	-	R								F
Mansfield/Colceramica	Forzazul RF	3002 bowl, 4463 tank	750	2	2	R								F
Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800	2	2.5	E	*	*			HET			F
Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800	2	-	E	*							F
Niagara	Claremont One-Piece EL	N4418 (one piece)	500	1	-	E								F
Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank.	1,000	2	-	E	*							F
Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank	1,000	2	2.5	E	*	*			HET			F

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000	2	2.5	E	*	*		HET			F	
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	2	-	E	*						F	
Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank	1,000	2	-	R							F	
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank	500	2	-	R							F	
Niagara	EL HET ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (Fluidmaster fill valve)	1,000	2	3	E	*						F	
Niagara	Stealth EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	500	2	2	E	*	0.8g 3L					F	
Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank	650	2	3	E	*						F	
Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	2	-	E					HET		F	
Niagara	PowerOne RF	N2310R: N2310R bowl, N2310T tank	800	2	-	R					HET		F	
Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000	2	-	R						HET	F	
OPS - Original Pacific Supply	None EL	T/X-66891E:	600	2	3	E							F	
OPS - Original Pacific Supply	None EL ADA	T/X-66891H:	600	2	3	E	*						F	
OPS - Original Pacific Supply	None RF	T/X-66891:	600	2	3	R						HET	F	
Orion	Green Sense EL ADA	50320 bowl, 51299 tank	500	2	3	E	*						F	
Porcher (American Standard)	Archive EL ADA (one-piece)	97920-28 (one-piece)	1,000	1	3	E	*						F	
Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-28 (one-piece)	1,000	1	3	E	*						F	
Porcher (American Standard)	Ovale EL ADA	90750-28: 41750-28 bowl, 40750-28 tank	1,000	2	3	E	*						F	
Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-28 (one-piece)	1,000	1	3	E	*						F	
Porcher (American Standard)	Ovale RF ADA	90850-28: 41850-28 bowl, 40750-28 tank	1,000	2	3	R	*						F	
Porcher (American Standard)	Veneto III EL (one-piece)	97320-28 (one-piece)	1,000	1	3	E							F	
Price Pfister (by HCG)	None EL	VTP-E11W	1,000	2	3	E		*			HET		F	
Price Pfister	None EL	VTP-E20W (one-piece)	600	1	3	E		*			HET		F	
Price Pfister (by HCG)	None EL ADA	VTP-E21W: C-1003 bowl, S-1004 tank	1,000	2	3	E	*	*			HET		F	
Price Pfister (by HCG)	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000	2	3	E	*	*			HET		F	
Price Pfister	None RF	VTP-E40 (one piece)	600	1	3	R		*			HET		F	
Price Pfister (by HCG)	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000	2	3	E		*			HET		F	
PROFLO	Cascade RF	PF9300 bowl; PF9312 tank	500	2	2	R		*			HET		F	
PROFLO	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	2	3	E	*					HET	F	
PROFLO	MacLair EL	PF9401 bowl; PF9412 tank	850	2	3	E						HET	F	
PROFLO	MacLair RF	PF9400 bowl; PF9412 tank	900	2	3	R						HET	F	
PROFLO	None EL	PF1601 bowl, PF1612 tank	900	2	-	E					HET		F	
PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	2	-	E						HET	F	
PROFLO	None EL ADA	PF1603 bowl, PF1612 tank	900	2	-	E	*				HET		F	
PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	2	-	E					HET		F	

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	2	3	E	*					HET		F
PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	2	3	E	*					HET		F
PROFLO	None EL ADA	PFCT103: PF1403 bowl, PF5512 tank	500	2	2	E	*					HET		F
Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	2	3	E	*	*			HET			F
Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	2	3	E	*					HET		F
Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900	2	3	E	*					HET		F
Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900	2	3	E	*	*			HET			F
RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500	2	2	E	*	*			HET			F
Roca	Dama Senso ADA	59361 bowl, 59570 tank	800	2	2.5	S	*	*			HET			F
Roca	Hall Dual-Flush	67361 bowl, 67570 tank	850	2	2.5	S	*	*			HET			F
Roca	Happening Dual-Flush ADA	65361 bowl, 65570 tank	800	2	2.5	S	*	*			HET			F
Rona	Europa EL	SKU#7369129 (Foremost #TL-8271E-WL)	800	1	2	E	*				HET			F
Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*)	1,000	1	2	S	*	*			HET			F
Rona	Gemini Dual Flush RF	SKU# 7369067 (Foremost #TL-2005-*)	800	2	2	R	*	*			HET			F
Rona	HET TTG RF ADA	SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim)	900	2	3	R	*					HET		F
Rona	Rona Collection	SKU#2003354 (Foremost #TL-8267-WL)	700	2	2.5	S	*	*			HET			F
Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOT1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	2		E	*	*			HET			F
Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	1	3	E	*					HET		F
Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	2	3	E	*					HET		F
Tangshan Cielo Ceramics	None RF ADA	0025S	800	2	3	R	*	*			HET			F
Tangshan Cielo Ceramics	None RF ADA	0025D:	800	2	3	R	*	*				HET		F
Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	2	2	E	*	*			HET			F
Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	2	2.5	E	*				HET			F
Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	2	2.5	E	*				HET			F
Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	2	2.5	E	*				HET			F
Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	2	3	E	*					HET		F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	2	3	E	*					HET		F
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	2	3	E	*					HET		F
Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	2	3	E	*					HET		F
Toto	EcoDrake EL ADA	CST744EF.10: CF744EF.10 bowl, ST743E tank	500	2	3	E	*					HET		F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	2	3	E	*					HET		F
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	2	3	R	*					HET		F
Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	1	3	E	*					HET		F
Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	1	3	E	*					HET		F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	2	3	E	*					HET		F
Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	2	3	R	*					HET		F

IMPORTANT: Prior to purchasing, please confirm that **both** the tank model number and the bowl model number of your selected HET appear on this list. **Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.**



**Rebates for HETs listed are valid for purchases made between
February thru June 30, 2010**

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	1	3	E	*					HET		F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	1	3	E						HET		F
Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	1	3	E						HET		F
Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	1	3	E	*					HET		F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	1	3	R						HET		F
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	2	3	E	*					HET		F
Toto	Neorest EL	550	800	1	-	E			*		HET			F
Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	1	3	E	*					HET		F
Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	2	3	E	*					HET		F
Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	2	3	E	*					HET		F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	2	2	R		*			HET			F
Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	2	3	E	*					HET		F
Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	2	3	E	*					HET		F
Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	900	2	-	E						HET		F
Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	900	2	-	E	*					HET		F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	2	3	E						HET		F
Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	2	3	E	*					HET		F
Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	2	3	E	*					HET		F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	2	3	R						HET		F
Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	2	3	E	*					HET		F
Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	2	2.5	E		*			HET			F
VitrA	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	2	-	E	*					HET		F
VitrA	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	2	2	E	*	*			HET			F
VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	2	-	R		*			HET			F
VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	2	2	E	*					HET		F
VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	2	2	R	*					HET		F
Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	2	3	E	*					HET		F
Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	2	3	E						HET		F
Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	2	3	R						HET		F
Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	2	3	E	*					HET		F
Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	2	3	E						HET		F
Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	2	3	R						HET		F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	2	-	E	*	*			HET			F
Vortens-Lamosa	Superio EL ADA	3140 bowl, 3475 tank	1,000	2	3	E	*					HET		F
Vortens-Lamosa	Superio RF	3213 bowl, 3475 tank	800	2	3	R						HET		F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	2	-	E	*					HET		F

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list. Some HETs & ULFTs have similar model numbers. Only model numbers listed will qualify for a rebate.



Rebates for HETs listed are valid for purchases made between February thru June 30, 2010

Please read program eligibility rules on rebate application before purchasing.

Type of toilet fixture

Up to \$125	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)
Up to \$125	4-L (1.1-gal) Pressure-assist
Up to \$125	Gravity-fed

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	2	2	E		*		HET				F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	2	2	R		*		HET				F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	2	2	R		*		HET				F
WaterRidge-Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	1	2	E		*		HET				F
WaterRidge-Milim G&G Ceramics	WaterRidge EL ADA	C21079C, 191575 tank	800	2	3	E	*	*		HET				
Western Pottery	None EL ADA	817DF: 817 bowl, T8-DF tank	800	2	2.5	E	*			HET				F
Western Pottery	None RF	822HET: B822 bowl, T8-HET tank	900	2	2.5	R						HET		F
Western Pottery	None EL	832HET: B832 bowl, T8-HET tank	900	2	2.5	E						HET		F
Western Pottery	None EL ADA	872HET: B872 bowl, T8-HET tank	1,000	2	2.5	E	*					HET		F
Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	1,000	2	-	E					HET			F
Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550	2	2	E		*		HET				F
Xiamen Lota International Co.	None EL ADA	CT-201: CF201 bowl, TA-201 tank	950	2	3	E	*					HET		F
Xiamen Lota International Co.	None RF ADA	CT-202: CF202 bowl, TA-202 tank	850	2	3	R	*					HET		
Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	2	-	E			*	HET				F
Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	2	-	E	*		*	HET				F
Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	2	-	E					HET			F
Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	2	-	E	*				HET			F