



December 27, 2017

David Wonder
Hathaway Dinwiddie Construction
275 Battery St, Suite 300
San Francisco, CA 94111

SIC/ID: 2371/170871

SUBJECT: Batch Wastewater Discharge Permit No. 17-12203
- 800-1800 Sierra Pt Pkwy HCP LS Brisbane LLC

Dear David Wonder:

We have reviewed your Batch Discharge Permit Application and have processed the application in accordance with San Francisco Public Works Code Article 4.1, Section 123 {Sewer Use Ordinance}, and Article 4.2, Section 146 {Construction Site Runoff Control Ordinance}.

Based on the review of the Batch Discharge Permit Application and the submitted chemical analysis of the wastewater to be generated and discharged from the project site, the Permit Application is approved for the purpose of fulfilling the requirements of the aforementioned Ordinances.

Discharges by the Permittee shall be in compliance with Article 4.1 and Article 4.2 and amendments thereto, as well as the City's Department of Public Works' Order No. 158170 (Local Limits); U.S. EPA regulations (40 CFR Part 403); and applicable pretreatment standards required under local, state, and federal law.

By acceptance of this permit, the Permittee agrees:

- (1) To determine the total discharge volume by use of an appropriate metering device, and **report the total discharge volume quarterly** (by e-mail), along with any laboratory reports requested by the SFPUC, including the following analysis:
 - **(TROG)** Total Recoverable Oil and Grease by EPA Method 1664 or equivalent;
 - **(TSS)** Total suspended solids by EPA 160.2 or equivalent;
 - **(COD)** Chemical oxygen demand by EPA 410.4 or equivalent, and
 - **(Chlorides)** Cl⁻ by EPA Method 300 or other suitable method.

- (3) Submit lab reports with the discharge volume report as noted in (1), above. Original lab reports shall be submitted to this office in electronic format (e.g., pdf documents) after the close of each calendar quarter (i.e., Mar. 31, Jun. 30, Sep. 30, and Dec. 31).

- (4) To pay any required sewer service charges based on volume and fee constituents of the wastewater discharge.
- (5) To avoid sanitary sewer overflows by not allowing automatic discharge, having personnel on-hand during discharge activities, or other similar preventive measures;
- (6) To indemnify and hold harmless the City from any and all costs, claims, damages, fines, remediation costs, losses or other expenses arising from the Permittee's discharges; and to pay to the City an amount equal to the costs, penalties and other incidental fees and expenses associated with the remediation of any obstruction, damage or impairment to the sewer system, or for additional incidental monitoring of the permittee's discharge, if required; and
- (7) To sample, retest, and notify this office should significant changes in water quality and quantity be observed or suspected over the life of this permit. Your application states a total estimated volume of 900,000 gallons.
- (8) Non-compliance with the provisions as stated in this Permit may expose the contractor to enforcement action by SFPUC WVE/CSD.

This permit expires on December 31, 2020. Any modification in the implementation of this Permit must be reported to our office by phone or email or by letter notification.

If you have any questions about the information provided, please contact Audie Ilejay at 415-695-7339, (e-mail: AILEJAY@sfgwater.org).

Sincerely,



Tomio Takeshita
Pretreatment Program Manager
Wastewater Enterprise / Collection System Division