

# LIST OF QUALIFYING FLUSHOMETER HIGH-EFFICIENCY TOILETS (HETs)

Rebates for Flushometer HETs listed are valid for purchases made between

**July 1, 2016 through December 31, 2016**



**Maximum Performance (MaP)<sup>®</sup> of Toilet Fixtures - High Efficiency Flushometer Valve/Bowl Combinations (1.28 gal/4.8 litre maximum)**

**IMPORTANT: Prior to purchasing, please confirm that both the valve model number and the bowl model number of your selected HET combination appear on this list. Some HETs & ULFTs (ultra low flush toilets that flush 1.6 gpf) have similar model numbers. Only high efficiency models flushing an average 1.28 gpf listed herein qualify for a rebate. Bowl and valve do not need to be tested together to qualify.**



Manufacturer(s) of the Components of the Fixture Combination	Bowl Model Name	Bowl Model Number	Flushometer Valve Manufacturer and Model Number	4.8-L (1.28-gal) HET Commercial Combination	MaP Performance Score	Rated HET Flush Volume	WaterSense Compliant Bowl	WaterSense Compliant Valve
American Standard	American Standard Madera 1.28 EL	2234.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL (10-in rough-in)	2234.001	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL (10-in rough-in)	2234.001	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall 1.28 EL ADA	2257.101	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EC 1.28 EL ADA	2257.101	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA	2257.101	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA (1.28 gal/flush)	2257.101	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA	2257.101	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA (1.28 gal/flush)	2634.101	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera 1.28 EL ADA	3043.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL ADA (10-in rough-in)	3043.001	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL ADA (10-in rough-in)	3043.001	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EC 1.28 EL ADA (with EverClean)	3351.101	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EC TS EL ADA (1.28 gal/flush)	3351.101	American Std 6065.121.002 (piston type-1.28 gpf) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA (with EverClean)	3351.101	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA (with EverClean)	3351.101	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EC EL ADA (1.28 gal/flush)	3353.101	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera 1.28 EL ADA (with EverClean)	3451.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EC 1.28 EL	3451.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL (10-in rough-in) (with EverClean)	3451.001	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL (10-in rough-in) (with EverClean)	3451.001	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard Madera 1.28 EL (with EverClean)	3461.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EC 1.28 EL ADA	3461.001	American Std 6047.121 (piston type - manual)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL ADA (10-in rough-in) (with EverClean)	3461.001	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Madera EL ADA (10-in rough-in) (with EverClean)	3461.001	American Std 6067.121.002 (piston type) (hard wire)	HET	1,000	1.28	WS	
American Standard	American Standard Priolo EL (14-inch rough-in)	3690.001	American Std 6065.121 (piston type - 1.28 gpf)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EL ADA (1.28 gal/flush)	2257.101NAF	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Baby Devoro FV Universal HET (child's bowl height: 10.4-inch = 260 mm)	2282.001-1.28 (child's bowl height: 10.4-inch = 260 mm)	American Std 6065.121.002 (piston type)	HET	800	1.28	WS	
American Standard	American Standard Madera Youth FloWise (youth bowl height: 14-inch = 355 mm)	2599.001 (youth bowl height: 14-inch = 355 mm)	American Std 6065.525.002	HET	800	1.28	WS	
American Standard	American Standard AFWall EL ADA (1.28 gal/flush)	2633.101 (w/BPL)	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard Huron EL ADA (12-in rough-in)	3312.001 OR 3313.001 (bed pan lugs)	American Std 6065.121.002 (piston type)	HET	500	1.28	WS	
American Standard	American Standard Huron EL ADA (12-in rough-in)	3312.001 OR 3313.001 (bed pan lugs) (UPC bar code 3305683469)	American Std 6047.121 (piston type - manual)	HET	500	1.28	WS	
American Standard	American Standard AFWall EC EL ADA (1.28 gal/flush)	3352.101 (w/BPL)	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	
American Standard	American Standard AFWall EC EL ADA (1.28 gal/flush)	3354.101 (rear outlet w/BPL)	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28	WS	

American Standard/Moen	American Standard Afwall EC 1.1 EL (wall mount-ADA possible)	3351.001	Moen 8310 M128 (piston type)	HET	600	1.28		
American Standard/Sloan	American Standard Afwall FloWise EL	3351.101	Sloan 111-1.28 (1-1/2") (piston type)	HET	800	1.28	WS	
American Standard/Sloan	American Standard Afwall FloWise EL	3352.101 (w/bedpan lugs)	Sloan 111-1.28 (1-1/2") (piston type)	HET	800	1.28	WS	
American Standard/Sloan	American Standard Madera FloWise EL (10-in rough-in)	3451.001	Sloan 111-1.28 (1-1/2") (piston type)	HET	1,000	1.28	WS	
American Standard/Sloan	American Standard Madera FloWise EL (10-in rough-in)	3452.001 (w/bedpan lugs)	Sloan 111-1.28 (1-1/2") (piston type)	HET	1,000	1.28	WS	
American Standard/Sloan	American Standard Madera FloWise EL ADA (10-in rough-in)	3461.001	Sloan 111-1.28 (1-1/2") (piston type)	HET	1,000	1.28	WS	
American Standard/Sloan	American Standard Madera FloWise EL ADA (10-in rough-in)	3462.001 (w/bedpan lugs)	Sloan 111-1.28 (1-1/2") (piston type)	HET	1,000	1.28	WS	
American Standard/Sloan	American Standard Olimpico Flux EC 1.1 EL ADA (10 inch rough-in)	3451S001MX	Sloan 111-1.28 (1-1/2") (piston type)	HET	1,000	1.28		
American Standard/Sloan	American Standard Priolo EL ADA	3695.001	Sloan 111-1.28 (1-1/2")	HET	1,000	1.28	WS	
American Standard/Sloan	American Standard Priolo EL ADA	3696.001 (w/bed pan lugs)	Sloan 111-1.28 (1-1/2")	HET	1,000	1.28	WS	
American Standard/Toto	American Standard Priolo EL ADA	3697.001	Toto TET 1 DNCR (1-1/2") (piston-type)	HET	1,000	1.28	WS	
American Standard/Toto	American Standard Priolo EL ADA	3698.001 (w/ bed pan lugs)	Toto TET 1 DNCR (1-1/2") (piston-type)	HET	1,000	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn Z6000AV-HET (diaphragm type)	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn Z6000PL-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000AV-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000AV-HET-IS	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000AV-HET-IS	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000PL-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000PL-HET-IS	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6000PL-HET-IS	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6200-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6200-HET-IS	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZEMS6200PL-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZER6000AV-HET-(CPM and CP)	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZER6000PL-HET-(CPM and CP)	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZR6000AV-HET	HET	800	1.28	WS	
American Standard/Zurn	American Standard Priolo EL ADA	3695.001	Zurn ZR6000PL-HET	HET	800	1.28	WS	
ASC/Delany	ASC Verna RF	412740	Delany Saber S402-1.28-SC-T42 (diaphragm type)	HET	800	1.28		
ASC/Delany	ASC Verna RF	412750 (12-in rough-in)	Delany Saber S402-1.28-SC-T42 (diaphragm type)	HET	600	1.28		
Briggs/Sloan	Briggs Carlton EL	7711	Sloan Royal 111-1.28 (diaphragm type)	HET	800	1.28		WS
Briggs/Sloan	Briggs Sultan EL ADA	7781	Sloan Royal 111-1.28 (diaphragm type)	HET	800	1.28		WS
Conrac/Delta	Conrac Clark Commercial EL (wall mount-ADA possible)	4762CEX	Delta 81T201-48	HET	1,000	1.28		
Conrac/Delta	Conrac Clay Commercial EL ADA	4762BOX	Delta 81T201-48	HET	1,000	1.28		
Conrac/Delta	Conrac Colter Commercial EL	4762BEX	Delta 81T201-48	HET	1,000	1.28		
Conrac/Moen	Conrac Clark Commercial EL (wall mount-ADA possible)	4762CEX	Moen 8310 M128 (piston type)	HET	500	1.28		
Conrac/Sloan	Conrac Clark Commercial EL (wall mount-ADA possible)	4762CEX	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
Conrac/Sloan	Conrac Clark EL (wall mount-ADA possible)	4762CEU	Sloan Royal 111-1.28 (diaphragm type)	HET	550	1.28		WS
Conrac/Sloan	Conrac Clay Commercial EL ADA	4762BOX	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
Conrac/Sloan	Conrac Clay EL	4762BOU	Sloan Royal 111-1.28 (diaphragm type)	HET	550	1.28		WS
Conrac/Sloan	Conrac Colter Commercial EL	4762BEX	Sloan 111-1.28 (piston type)	HET	850	1.28		WS
Conrac/Sloan	Conrac Colter EL	4762BEU	Sloan Royal 111-1.28 (diaphragm type)	HET	600	1.28		WS
Crane/American Standard	Crane Eco Placidus Afwall EL (wall mount-ADA possible)	3449-01	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28		
Crane/American Standard	Crane Eco Placidus EL (wall mount-ADA possible)	3446-01	American Std 6065.121.002 (piston type) (battery)	HET	1,000	1.28		
Crane/Sloan	Crane Eco Hymont EL ADA	3H701	Sloan 111-1.28	HET	600	1.28		WS
Crane/Sloan	Crane EcoWhirlton EL	3325	Sloan 111-1.28	HET	800	1.28		WS
Crane/Sloan	Crane EcoWhirlton EL	3325	Sloan WES 111	HET	800	1.28		
Gerber/Sloan	Gerber North Point 1.28 EL	25-833	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Gerber/Sloan	Gerber North Point 1.28 EL (ADA possible)	25-038	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Gerber/Sloan	Gerber North Point 1.28 EL ADA	25-733	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Gerber/Sloan	Gerber North Point 1.28 EL ADA	25-878	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Gerber/Sloan	Gerber North Point Jr. 1.28 RF (Youth size bowl height: 13.4" = 340mm)	25-872 (Youth size bowl height: 13.4" = 340mm)	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Hajoca Mainline/Delta	Commercial EL	4762BEX	Delta 81T201-48	HET	1,000	1.28		
Hajoca Mainline/Delta	Commercial EL (wall mount-ADA possible)	4762CEX	Delta 81T201-48	HET	1,000	1.28		
Hajoca Mainline/Delta	Commercial EL ADA	4762BOX	Delta 81T201-48	HET	1,000	1.28		
Hajoca Mainline/Sloan	Hajoca Mainline Commercial EL	MLS10410	Sloan 111-1.28 (piston type)	HET	850	1.28		WS
Hajoca Mainline/Sloan	Hajoca Mainline Commercial EL (wall mount-ADA possible)	MLS10409	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
Hajoca Mainline/Sloan	Hajoca Mainline Commercial EL ADA	MLS10411	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
HD Supply /Sloan	Seasons Commercial EL (wall mount-ADA possible)	564805	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
HD Supply /Sloan	Seasons Commercial EL ADA	564809	Sloan 111-1.28 (piston type)	HET	800	1.28		WS
HD Supply-FM/Delta	Commercial EL	4762BEX	Delta 81T201-48	HET	1,000	1.28		
HD Supply-FM/Delta	Commercial EL (wall mount-ADA possible)	4762CEX	Delta 81T201-48	HET	1,000	1.28		
HD Supply-FM/Delta	Commercial EL ADA	4762BOX	Delta 81T201-48	HET	1,000	1.28		
HD Supply/Sloan	Seasons Commercial EL	564807	Sloan 111-1.28 (piston type)	HET	850	1.28		WS
Kohler	Kohler Anglesey CH EL ADA	K-4352	Kohler K-13517 (piston type - manual actuation)	HET	1,000	1.28		
Kohler	Kohler Anglesey EL ADA	K-4352	Kohler K-10956-CP (piston type)	HET	1,000	1.28		
Kohler	Kohler Highline EL ADA	K-4405	Kohler K-13517 (piston type - manual actuation)	HET	1,000	1.28		

Kohler	Kohler Highline EL ADA	K-4405 and K-4405L bowls	Kohler K-10956 (piston type)	HET	1,000	1.28		
Kohler	Kohler Kingston EL (wall mount-ADA possible)	K-4323	Kohler K-10956 (piston type)	HET	1,000	1.28		
Kohler	Kohler Kingston EL (wall mount-ADA possible)	K-4325	Kohler K-10956 (piston type)	HET	1,000	1.28		
Kohler	Kohler Kingston EL (wall mount-ADA possible)	K-4325	Kohler K-13517 (piston type - manual actuation)	HET	1,000	1.28		
Kohler	Kohler Primary EL (child's bowl height: 10.5-inch = 267 mm)	K-4384 (child's bowl height: 10.5-inch = 267 mm)	Kohler K-10673-CP (piston type)	HET	500	1.28		
Kohler	Kohler Wellworth EL	K-4406	Kohler K-13517 (piston type - manual actuation)	HET	1,000	1.28		
Kohler	Kohler Wellworth EL	K-4406	Kohler K-10956 (piston type)	HET	1,000	1.28		
Kohler/Moen	Kohler Highline EL	K-4405	Moen 8310 EFV (piston type)	HET	1,000	1.28		
Kohler/Sloan	Kohler Wellworth EL	K-4406	Sloan GEM 111-1.28 (piston type)	HET	1,000	1.28		WS
Kohler/Sloan	Kohler Wellworth EL	K-4406	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Mansfield/American Std	Mansfield EL ADA	1319	American Std 6065.121	HET	1,000	1.28		
Mansfield/American Std	Mansfield EL ADA	1319BPL (with bedpan lugs)	American Std 6065.121	HET	1,000	1.28		
Mansfield/Sloan	Mansfield Adriatic EL ADA	1319	Sloan Royal 111-1.28	HET	1,000	1.28		WS
Mansfield/Sloan	Mansfield Baltic EL	1311	Sloan Royal 111-1.28	HET	1,000	1.28		WS
Mansfield/Sloan	Mansfield Baltic EL	1311	Sloan Royal 111-1.28	HET	1,000	1.28		WS
Mansfield/Sloan	Mansfield Huron EL (rear outlet)	1312	Sloan Royal 111-1.28	HET	1,000	1.28		WS
Mansfield/Sloan	Mansfield Huron EL ADA Floor Mount Rear Outlet	1313	Sloan Royal 111-1.28	HET	800	1.28		WS
Mansfield/Zurn	Mansfield Erie EL (wall mount-ADA possible)	1301	Zurn ZTS6200EV	HET	1,000	1.28		
Mansfield/Zurn	Mansfield Erie EL (wall mount-ADA possible)	1301BPL (with bedpan lugs)	Zurn ZTS6200EV	HET	1,000	1.28		
ProFlo/Sloan	ProFlo EL	PF1721	Sloan Royal 111-1.28 (diaphragm type)	HET	900	1.28		WS WS
ProFlo/Sloan	ProFlo EL (wall mount-ADA possible)	PF1731	Sloan Royal 111-1.28 (diaphragm type)	HET	800	1.28		WS WS
ProFlo/Sloan	ProFlo EL ADA	PF1723	Sloan Royal 111-1.28 (diaphragm type)	HET	900	1.28		WS WS
ProFlo/Sloan	ProFlo RF (child's bowl height: 10-inch = 254 mm)	PF1700BBHE (child's bowl height: 10-inch = 254 mm)	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan ECOS 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan ECOS HW 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan G2 Optima Plus 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan Gem 2 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL	ST2009A	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL	ST2009A	Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan Solis 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009A	Sloan Crown 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL	ST2010A	Sloan Royal 120-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Crown 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan ECOS 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan ECOS HW 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan G2 Optima Plus 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Gem 2 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Solis 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029A	Sloan Royal 120-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan Crown 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan ECOS 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan ECOS HW 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan G2 Optima Plus 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan Gem 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan Royal Uppercut 1.6 / 1.1 dual flush (diaphragm)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059A	Sloan Solis 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2060A	Sloan Royal 143-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan Crown 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan ECOS 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan ECOS HW 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan G2 Optima Plus 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan Gem 111-1.28 (piston type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan Efficiency Series EL ADA	ST2229A	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL ADA (12-inch rough-in)	ST2229A	Sloan Solis 8111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan Efficiency Series EL ADA (dual-flush)	ST2229A	Sloan WES 111 - 1.6/1.1 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan Efficiency Series (child's bowl height: 10.5-inch = 267 mm)	ST2309A (child's bowl height: 10.5-inch = 267 mm)	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan Efficiency Series Dual Flush (child's bowl height: 10.5-inch = 267 mm)	ST2309A (child's bowl height: 10.5-inch = 267 mm)	Sloan WES 111 - 1.6/1.1 (diaphragm type)	HET	1,000	1.28		WS WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2469	Sloan Royal 152-1.28 (diaphragm type)	HET	1,000	1.28		WS WS
Toto	Toto EL	CT705EN (G)	Toto TMT 1LN-32 (manual valve - piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL	CT705EN (G)	Toto TET 1LN-32 OR TET2LN31/32/33 OR TET3LN31/32/33 (piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL ADA	CT705ELN (G)	Toto TMT 1LN-32 (manual valve - piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL ADA	CT705ELN (G)	Toto TET 1LN-32 OR TET2LN31/32/33 OR TET3LN31/32/33 (piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL ADA	CT708E (G)	Toto TET 1LN-32 OR TET2LN31/32/33 OR TET3LN31/32/33 (piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL ADA	CT708E (G)	Toto TMT 1LN-32 (manual valve - piston type)	HET	1,000	1.28		WS WS
Toto	Toto EL ADA	CT708EV	Toto TMT 1LN-32 (manual valve - piston type)	HET	1,000	1.28		WS WS

Toto	Toto EL ADA	CT708EV	Toto TET 1LN-32 OR TET2LN31/32/33 OR TET3LN31/32/33 (piston type)	HET	1,000	1.28	WS	
Tynan/Sloan	Tynan EL	7501	Sloan Royal 111-1.28 (diaphragm type)	HET	900	1.28	WS	WS
Tynan/Sloan	Tynan EL (wall mount-ADA possible)	7503	Sloan Royal 111-1.28 (diaphragm type)	HET	800	1.28	WS	WS
Tynan/Sloan	Tynan EL ADA	7502	Sloan Royal 111-1.28 (diaphragm type)	HET	900	1.28	WS	WS
Tynan/Sloan	Tynan RF (child's bowl height: 10-inch = 254 mm)	4505HE (child's bowl height: 10-inch = 254 mm)	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28	WS	WS
Vitra/Toto	Vitra Evergreen Flushometer HET EL (wall mount-ADA possible)	5425	Toto TMT 1LN (previously TMT 1HNCR) (piston type)	HET	600	1.28		
Vortens/Sloan	Atenas EL ADA (wall mount-ADA possible)	3108-V	Sloan Royal 111-1.28 (diaphragm type)	HET	1,000	1.28		WS
Vortens/Toto	Vortens Atenas EL ADA	3108	Toto TMT 1HNCR (piston type)	HET	600	1.28		
Vortens/Toto	Vortens Vienna EL Flux	3115-V	Toto TMT 1HNCR (piston type) adjusted as HET	HET	1,000	1.28		
Vortens/Toto	Vortens Vienna H Flux EL ADA	3114-V	Toto TMT 1HNCR (piston type) adjusted as HET	HET	1,000	1.28		
Vortens/Zurn	Vortens Vienna H Flux EL ADA	3114-V	Zurn Z6000AV-WS1-DF Dual Flush (6 & 4.1L)	HET	1,000	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn Z6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn Z6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn Z6200-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn Z6200PL-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6000PL-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6200-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6200-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6200PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZEMS6200PL-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZER6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZER6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZER6200-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZER6200PL-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZR6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZR6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL ADA	Z5615-BWL (wall-hung-back outlet)	Zurn ZTR6200EV (piston type)	HET	1,000	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZTS6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn Z6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn Z6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn Z6200-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn Z6200PL-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6000PL-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6200-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6200-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6200PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZEMS6200PL-HET-IS (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZER6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZER6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZER6200-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZER6200PL-HET (piston type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZR6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL (wall mount-ADA possible)	Z5616-BWL (wall-hung-back outlet with BPL)	Zurn ZR6000PL-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5635-BWL (back outlet)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5635-BWL (back outlet)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5636-BWL (back outlet, with BPL)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5636-BWL (back outlet, with BPL)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5637-BWL (back outlet)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL	Z5637-BWL (back outlet)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5645-BWL (back outlet, with BPL)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5645-BWL (back outlet, with BPL)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5645-BWL (back outlet)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5645-BWL (back outlet)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5647-BWL (back outlet)	Zurn Z6000AV-HET (diaphragm type-manual)	HET	800	1.28		
Zurn	Zurn EcoVantage EL ADA	Z5647-BWL (back outlet)	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EL	Z5654-BWL	Zurn Z6000AV-HET (diaphragm type)	HET	800	1.28		
Zurn	Zurn EL	Z5654-BWL	Zurn ZTR6200EV (piston type)	HET	800	1.28		
Zurn	Zurn EL	Z5655-BWL	Zurn Z6000AV-HET (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn Z6000PL-HET (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn Z6200PL-HET (piston type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn ZEMS6000AV-HET (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL	Z5655-BWL	Zurn ZEMS6000PL-HET (diaphragm type)	HET	1,000	1.28	WS	



Zurn	Zurn EL ADA	Z5666-BWL HET w/BPL	Zurn ZR6000PL-HET (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL ADA	Z5666-BWL w/BPL	Zurn ZEMS6000AV-HET-IS (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL ADA	Z5666-BWL w/BPL	Zurn ZEMS6000PL-HET-IS (diaphragm type)	HET	1,000	1.28	WS	
Zurn	Zurn EL ADA	Z5666-BWL1 w/BPL	Zurn ZTR6200EV (piston type)	HET	1,000	1.28	WS	WS
Zurn	Zurn EL ADA	Z5667-BWL1 w/AM glaze	Zurn ZTR6200EV (piston type)	HET	1,000	1.28	WS	WS

**1.1 gallons per flush (4.0 litres per flush):**

American Standard	American Standard Afwall Millennium 1.1 EL ADA	2257.101	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall Millennium 1.1 EL ADA	2634.101	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall EC TS 1.1 EL ADA	3351.101	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall EC Millennium 1.1 EL ADA	3353.101	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Priolo EL	3690.001	American Std Flowise 1.1 6047.111 (manual)	HET	1,000	1.10	WS	
American Standard	American Standard Priolo EL (14-inch rough-in)	3690.001	American Std 6065.111 (piston type - 1.1 gpf)	HET	1,000	1.10	WS	
American Standard	American Standard Priolo EL ADA	3695.001	American Std Flowise 1.1 6047.111 (manual)	HET	1,000	1.10	WS	
American Standard	American Standard Priolo EL ADA (14-inch rough-in)	3695.001	American Std 6065.111 (piston type - 1.1 gpf)	HET	1,000	1.10	WS	
American Standard	American Standard Madera 1.1 EL	2234.001 (NOTE: also includes 2623.001, 2624.001, 3451.001, 3452.001, 3455.001)	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Madera EL	2234.001 or 3451.001	American Std Flowise 1.1 6047.111 (manual)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall EL ADA	2257.101 or 3351.101	American Std Flowise 1.1 6047.111 (manual)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall Millennium 1.1 EL ADA	2633.101 (w/BPL)	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Madera 1.1 EL ADA (12-in rough-in)	3043.001 (NOTE: also includes 3248.001, 3249.001, 3461.001, 3462.001, 3463.001, 3464.001)	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Madera EL ADA	3043.001 or 3461.001	American Std Flowise 1.1 6047.111 (manual)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall EC Millennium 1.1 EL ADA	3352.101 (w/BPL)	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
American Standard	American Standard Afwall EC Millennium 1.1 EL ADA	3354.101 (rear outlet w/BPL)	American Std 6065.111 (piston type-1.1 gpf) (battery)	HET	1,000	1.10	WS	
Crane/American Standard	Crane Eco Placidus Afwall EL (wall mount-ADA possible)	3449-01	American Std 6065.111.002 (piston type-1.1 gpf) (battery)	HET	1,000	1.10		
Crane/American Standard	Crane Eco Placidus EL (wall mount-ADA possible)	3446-01	American Std 6065.111.002 (piston type-1.1 gpf) (battery)	HET	1,000	1.10		
ProFlo/Sloan	ProFlo EL	PF1721	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
ProFlo/Sloan	ProFlo EL (wall mount-ADA possible)	PF1731	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
ProFlo/Sloan	ProFlo EL ADA	PF1723	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
Sloan Valve	Sloan EL (10-inch rough-in)	ST2009	Sloan ECOS 8111-1.1 (diaphragm type)	HET	800	1.10	WS	WS
Sloan Valve	Sloan EL ADA (10-inch rough-in)	ST2029	Sloan ECOS 8111-1.1 (diaphragm type)	HET	800	1.10	WS	WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2059	Sloan ECOS 8111-1.1 (diaphragm type)	HET	800	1.10	WS	WS
Sloan Valve	Sloan EL (wall mount-ADA possible)	ST2459	Sloan ECOS 8111-1.1 (diaphragm type)	HET	800	1.10	WS	WS
Tynan/Sloan	Tynan Torc EL	7501	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
Tynan/Sloan	Tynan Lir EL (wall mount-ADA possible)	7503	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
Tynan/Sloan	Tynan Torrin EL ADA	7502	Sloan ECOS 8111-1.1 (diaphragm type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL (wall mount-ADA possible)	Z5615-BWL (wall-hung-back outlet)	Zurn ZTR6200-ONE (piston type)	HET	800	1.10		
Zurn	Zurn EL	Z5655-BWL1	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL	Z5656-BWL1 w/BPL	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL	Z5657-BWL1 w/AM glaze	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL ADA	Z5665-BWL1	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL ADA	Z5666-BWL1 w/BPL	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS
Zurn	Zurn EL ADA	Z5667-BWL1 w/AM glaze	Zurn ZTR6200-ONE (piston type)	HET	1,000	1.10	WS	WS