



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos



# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Quarter Average
- Result

**Trigger Level**  
Concentration Resulting in  
Work Practice Alteration

**Quarter Average**  
Station Average from  
January 2012 to March 2012


**Result**  
24-hr Average Asbestos  
Concentration

**Concentration (s/cc)**  
Asbestos Structures per  
Cubic Centimeter of Air

# Calaveras Dam Replacement Project

## Air Monitoring Station P6


### Total Asbestos



# Calaveras Dam Replacement Project

## Air Monitoring Station P6

### Amphibole Asbestos



### Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to June 2012

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to September 2012

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to September 2012


**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project

## Air Monitoring Station P6

### Total Asbestos



### Legend

- - - P6 Trigger Level
- - - P6 Cumulative Average
- Result


**Trigger Level**  
 Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
 Station Average from January 2012 to December 2012

**Result**  
 24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
 Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

**Trigger Level**  
Concentration Resulting in Work Practice Alteration


**Cumulative Average**  
Station Average from January 2012 to December 2012

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to March 2013

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to March 2013

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to June 2013

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to June 2013


**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project

## Air Monitoring Station P6

### Total Asbestos



### Legend

- - - P6 Trigger Level
- - - P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to September 2013

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos



## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result


**Trigger Level**  
Concentration Resulting in Work Practice Alteration

**Cumulative Average**  
Station Average from January 2012 to September 2013

**Result**  
24-hr Average Asbestos Concentration

**Concentration (s/cc)**  
Asbestos Structures per Cubic Centimeter of Air

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos



## Legend

- Revised P6 Trigger Level
- Original P6 Trigger Level
- P6 Cumulative Average
- Result

### Revised Trigger Level

Concentration that, if exceeded, would result in work practice alteration after 10/7/13

### Original Trigger Level

Concentration that, if exceeded, would result in work practice alteration prior to 10/7/13

### Cumulative Average

Station Average from January 2012 to December 2013

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- Revised P6 Trigger Level
- Original P6 Trigger Level
- P6 Cumulative Average
- Result

### Revised Trigger Level

Concentration that, if exceeded, would result in work practice alteration after 10/7/13

### Original Trigger Level

Concentration that, if exceeded, would result in work practice alteration prior to 10/7/13

### Cumulative Average


Station Average from January 2012 to December 2013

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average


Station Average from January 2012 through March 2014

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### **Note:**

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 through March 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average


Station Average from January 2012 through June 2014

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### **Note:**

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 through June 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to September 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to September 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to December 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to December 2014

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*





# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to January 2015

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration Resulting in Work Practice Alteration

### Cumulative Average

Station Average from January 2012 to January 2015

### Result


24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through June 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through June 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through September 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through September 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

*In the absence of project-specific data prior to construction, the original air monitoring trigger levels were calculated based upon conservative estimates. We periodically re-calculate our trigger levels based upon actual site data and more sophisticated procedures to better reflect what we know about site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Based upon data collected during construction, we have revised our trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos effective October 7, 2013 to better reflect actual site conditions. Therefore, all graphs posted prior to this date show both old and current trigger levels, while the new graphs posted after reflect only the current trigger level. For more information about how the trigger levels were derived, please contact us.*

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through December 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.



# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through December 2015

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.



# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through March 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through March 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through June 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project Air Monitoring Station P6 Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through June 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through September 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project

## Air Monitoring Station P6

### Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average


Station Average from January 2012 through September 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air



### Note:

We periodically re-calculate the trigger levels and base it upon actual site data that reflect true site conditions. Most importantly, these revised trigger levels ensure that we meet the same levels of public health protectiveness - less than 1 in 100,000 increased risk to people who may visit, recreate, work or live in the areas surrounding the project site. Following the first review completed October 7, 2013, we revised the trigger levels to 0.014 s/cc for amphibole and 0.17 s/cc for total asbestos. The second review revised the trigger levels to 0.032 s/cc for amphibole and 0.40 s/cc for total asbestos, effective December 1, 2015. Therefore, the graphs showing the air monitoring results prior to December 1, 2015 are associated with the previous trigger levels, whereas the graphs with the results after this date are associated with the current trigger level. For more information about how the trigger levels were derived, please contact us.

# Calaveras Dam Replacement Project Air Monitoring Station P6 Total Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average

Station Average from January 2012 through December 2016

### Result

24-hr Average Asbestos Concentration


### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

Trigger levels (TLs) at site perimeter stations and Target Monitoring Levels (TMLs) at offsite ambient stations are periodically re-calculated by incorporating new data that reflect a change in actual site conditions. These revisions are necessary to continue to meet the same level of public health protectiveness.

On October 1, 2016 we revised both the perimeter station TLs and TMLs at ambient stations. Therefore, all graphs posted prior to this date show the previous TLs and TMLs, while the new graphs posted after this date reflect the current target level.



# Calaveras Dam Replacement Project

## Air Monitoring Station P6

### Amphibole Asbestos

## Legend

- P6 Trigger Level
- P6 Cumulative Average
- Result

### Trigger Level

Concentration that, if exceeded, would result in work practice alteration

### Cumulative Average

Station Average from January 2012 through December 2016

### Result

24-hr Average Asbestos Concentration

### Concentration (s/cc)

Asbestos Structures per Cubic Centimeter of Air

### Note:

Trigger levels (TLs) at site perimeter stations and Target Monitoring Levels (TMLs) at offsite ambient stations are periodically re-calculated by incorporating new data that reflect a change in actual site conditions. These revisions are necessary to continue to meet the same level of public health protectiveness.

On October 1, 2016 we revised both the perimeter station TLs and TMLs at ambient stations. Therefore, all graphs posted prior to this date show the previous TLs and TMLs, while the new graphs posted after this date reflect the current target level.

